



Energy | Chemical/petrochemical industry | Oil & gas | Water/wastewater

Pressure gauges in the process industry



Smart in sensing

Distributed by Valin Corporation | www.valin.com | (800) 774-5630 | customerservice@valin.com



**Alexander Wiegand,
Chairman and CEO**

About us

As a family-run business acting globally, with over 10,200 highly qualified employees, the WIKA group of companies is a worldwide leader in pressure and temperature measurement. The company also sets the standard in the measurement of level, force and flow, and in calibration technology.

Founded in 1946, WIKA is today a strong and reliable partner for all the requirements of industrial measurement technology, thanks to a broad portfolio of high-precision instruments and comprehensive services.

With manufacturing locations around the globe, WIKA ensures flexibility and the highest delivery performance. Every year, over 50 million quality products, both standard and customer-specific solutions, are delivered in batches of 1 to over 10,000 units.

With numerous wholly owned subsidiaries and partners, WIKA competently and reliably supports its customers worldwide. Our experienced engineers and sales experts are your competent and dependable contacts locally.

Global player for mechanical pressure measuring instruments



Presence in over 80 countries

Think global, act local: WIKA is represented around the world by numerous wholly owned subsidiaries and other sales agencies. And because we are local, we understand the relevant country-specific requirements, standards and applications. This is how we ensure individual support to our customers.

This makes us unique

- Global production sites
- Qualified technological know-how
- Unrivalled breadth and depth of products
- Practical expertise in manufacturing processes
- Perfected lean management
- Customer-focused consulting and service

Quality made by WIKA

Global production sites

The high-tech production in our owned modern production facilities (Germany, Brazil, China, India, Poland, Switzerland, South Africa and USA) is the best guarantee for short delivery times throughout the world. It also enables a high flexibility for country or customer-specific special features. WIKA also stands for excellent quality: Since 1994 the quality

management system has been certified to ISO 9001. The effectiveness of the quality management system is regularly evaluated and improved upon through internal and external audits. Through WIKA's corporate quality standards, uniform and effective worldwide, we set the benchmark here.

Qualified technological know-how

The three resilient pressure element technologies (with Bourdon tube, diaphragm element or capsule element measuring systems) have been developed, qualified and manufactured by WIKA themselves. Equally important for a reliable measured value display is the movement, which converts the elastic element travel into an angle of rotation. Our "Swiss Movement" movements are not only as precise as a Swiss clockwork, but they are also especially robust and durable.

These elementary parts are the perfect basis for the development of new products. When the product design is defined, the production line is also planned and implemented within WIKA's equipment construction. Finally, the product and process development is extensively qualified within our own test laboratory. Many of WIKA's internal test standards are even specified to higher levels than, for example, the European basic standard EN 837.

Unrivalled breadth and depth of products


WIKA's indicating pressure measuring instruments for gauge, absolute and differential pressure have been proven millions of times over. For the various requirements in process instrumentation, pressure elements from stainless steel or special materials are available. Accepted around the world, a variety of measuring ranges, process connections,

approvals, nominal sizes, safety versions, measuring cells with overload safety or liquid fillings for critical applications are a guarantee for the optimal measuring point design. The ideal addition is the extensive range of accessories, which includes pressure gauge valves, stopcocks, siphons, adapters and much more.



WIKA offers a comprehensive range of measuring instruments for process technology

Benefit from our many years of experience



Practical expertise in manufacturing processes

Manufacturing processes and procedures at WIKA are based on many years of experience. This technical expertise in processes is typically documented within process control plans as well as documented procedures and work instructions. New or modified processes are evaluated with regard to performance and quality and released for manufacturing by process sign-offs.

Core processes within the pressure gauge production are, for example, welding with subsequent 100 % leak test as well as a 100 % calibration and adjustment of the instruments. It is not only the processes that are clearly defined, but also the employees who are appropriately trained. Here, WIKA has placed a high value on the internal training in the "Welding Academy" and the "Adjustment Academy".

Perfected lean management

Production processes are designed and continuously improved in accordance with the WIKA Production System (WPS), based on the KAIZEN philosophy. The environment and energy programme is also refined continuously within the meaning of "continual improvement". Complex problems are dealt with in a structured way by in-house Black Belts using the Six Sigma Method, thus ensuring lasting solutions.

Through the WPS, we pursue the objective of improving the quality of the products and processes, and thus to achieve the highest possible customer satisfaction through the best quality, the highest delivery reliability as well as attractive delivery times and prices. Customer orientation is at the centre of all our efforts at WIKA.

Customer-focused consulting and service

Our sales organisation not only offers you standard products, but also our consulting competence for complete mounting arrangements. As a reliable partner in the contractor business, we can support you through all phases of the project, from planning, through the realisation and implementation of the project to technical inspections, logistics solutions, on-site support and after-sales service. We also offer you a

comprehensive range of services in calibration technology through our worldwide subsidiaries which are accredited to country-specific regulations, on-site service of your instruments, calibration equipment and also consulting and training in the field of calibration.

7 selection criteria lead you to the right standard



Model	Pressure type			Scale range				Aggregate state of the medium			
	Absolute pressure	Gauge pressure	Differential pressure	< 16 mbar	≤ 0.6 bar	≤ 40 bar	≤ 650 bar	≤ 1,600 bar	Gas or vapour	Liquid with low viscosity	Liquid with high viscosity
232.50	○	●	○	○	○	●	●	●	●	●	○
232.30	○	●	○	○	○	●	●	●	●	●	○
432.50	○	●	○	○	●	●	○	○	●	●	●
532.51	●	○	○	○	●	●	○	○	●	●	○
632.50	○	●	○	●	●	○	○	○	●	○	○
732.51	○	○	●	○	●	●	○	○	●	●	○
732.14	○	○	●	○	●	●	●	○	●	●	○

● possible

○ not possible



Model 232.50

The first choice for scale ranges from 0.6 bar



Model 232.30

For the highest safety Category S3 in accordance with EN 837



Model 432.50

For low pressure ranges, high overload safety, critical media

4

5

6

7

Wetted materials			Indication accuracy				Nominal size			Special features		
Stainless steel	Monel	Special materials	0.6 %	1.0 %	1.6 %	2.5 %	63 mm	100 mm	160 mm	Safety version in accordance with EN 837, category S3	Liquid filling	Increased overload safety
●	●	●	○	●	●	○	●	●	●	○	●	○
●	●	●	○	●	●	○	●	●	●	●	●	○
●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	○	●	●	●	●	●	●	●	●	●	●
●	○	○	○	●	●	○	●	●	●	○	●	○
●	○	○	○	○	●	○	●	●	●	●	●	○
●	○	●	○	○	●	○	●	●	●	●	●	●



Model 632.50

For very low pressure ranges



Model 532.51 – 532.54

Absolute pressure measurement



Model 732.51

Differential pressure with all-welded media chamber



Model 732.14

Differential pressure with overload safety

The products in detail


These measuring instruments for the process industry are manufactured completely from stainless steel for increased corrosion resistance. They are developed, qualified and process-monitored in production in line with the EN 837 standard. The core components are WIKA's internally developed measuring systems and the Swiss precision movement. For harsh operating conditions, all instruments are also available with liquid filling.

All instruments are also available with electrical output signals or switch contacts. Thus, not only does a measuring point provide an on-site display without the need for a power supply, but also it provides an electrical output signal for monitoring or control.



Mechanical version	Model 232.50	Model 232.30	Model 432.50
Pressure type	Gauge pressure	Gauge pressure	Gauge pressure
Scale range	0 ... 0.6 to 0 ... 1,600 bar	0 ... 0.6 to 0 ... 1,600 bar	0 ... 16 mbar to 0 ... 25 bar
Medium	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive ■ Highly viscous ■ Crystallising
Nominal size [mm]	63, 100, 160	63, 100, 160	100, 160
Accuracy class	1.6 / 1.0	1.6 / 1.0	1.6 / 2.5 optional 0.6 / 1.0
Safety version	Category S1 in accordance with EN 837	Category S3 in accordance with EN 837	Category S1 in accordance with EN 837
Overload safety	NS 63 <ul style="list-style-type: none"> ■ Full scale value NS 100, 160 <ul style="list-style-type: none"> ■ 1.3 x full scale value 	NS 63 <ul style="list-style-type: none"> ■ Full scale value NS 100, 160 <ul style="list-style-type: none"> ■ 1.3 x full scale value 	5 x full scale value, max. 40 bar, optional 10 x full scale values

Mechatronic version			
With switch contacts	Model PGS23	Model PGS23	Model PGS43
With electrical output signals		Model PGT23	Model PGT43



	Model 632.50	Models 532.51, 532.52, 532.53, 532.54	Model 732.51	Model 732.14
Gauge pressure	Absolute pressure	Differential pressure	Differential pressure	
0 ... 2.5 to 0 ... 600 mbar	0 ... 25 mbar to 0 ... 25 bar	0 ... 16 mbar to 0 ... 25 bar	0 ... 60 mbar to 0 ... 40 bar	
<ul style="list-style-type: none"> ■ Gaseous ■ Dry ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive ■ Highly viscous ■ Crystallising 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Viscous ■ Aggressive 	
63, 100, 160	100, 160	100, 160	100, 160	
1.6 optional 1.0	0.6 / 1.0 / 1.6 / 2.5	1.6	1.6 / 2.5	
Category S1 in accordance with EN 837	Category S1 in accordance with EN 837	Category S1 in accordance with EN 837		
Full scale value	max. 25 bar	max. 40 bar	40, 100, 250 or 400 bar	

	Model 632.50 with 8xx	Model 532.53 with 8xx	Model DPGS43	Model DPGS43HP
	Model PGT63HP	Model APGT43	Model DPGT43	Model DPGT43HP

Mechatronic versions

Pressure gauges with electrical output signal

intelliGAUGE®

A pressure gauge with an electrical output signal from the intelliGAUGE series combines all the advantages of a local display, without the need for a power supply, with the requirements of an electrical signal transfer for a modern electronic measured value registration.





A magnet on the pointer shaft rotates proportionally to the instrument pointer as a direct linear function of the process pressure. The electronics positioned opposite the magnet register the rotary motion of the magnet. A magnetic-field-dependent sensor picks up this change on the electronic side, contact-free, wear-free and without influence on the pressure element. The sensor signal, proportional to the deflection, is converted to an electrical output signal via an amplifier (US patent no. 8.030.990).



Pressure gauges with switch contacts

switchGAUGE

Switch contacts built into mechanical pressure measuring instruments close or open circuits depending on the process pressure. They can be used for various monitoring functions when a measured value either falls below or exceeds a preset value. Switch contacts are fitted behind the dial and can be set over the entire scale range using the set pointer. The instrument pointer (actual value pointer) moves freely across the entire scale range, independent of the setting. The contacts can be adjusted individually, using a removable adjustment key in the window.



More possibilities due to numerous extras

Options

- Liquid fillings
- Special materials such as Monel, Hastelloy, PTFE, nickel, tantalum, titanium, silver
- Mounting and fitting solutions (e. g. clamping ring, ...)

Certificates, approvals

- 2.2 test report, 3.1 inspection certificate
- Approvals such as GOST, NACE, DVGW, VdTÜV and many others
- CE conformity (ATEX, PED, EMC, LVD)

Instrument hook-ups with valves and diaphragm seals

On request, WIKA offers the professional assembly of pressure measuring instruments with valves, diaphragm seals and also other accessories into a ready-to-install solution.



WIKA worldwide

Europe	North America	Asia	Africa/Middle East
Austria WIKA Messgerätevertrieb Ursula Wiegand GmbH & Co. KG Tel. +43 1 3691631 info@wika.at / www.wika.at	Romania WIKA Instruments Romania S.R.L. Tel. +40 21 4048327 info@wika.ro / www.wika.ro	Canada WIKA Instruments Ltd. Tel. +1 780 4637035 info@wika.ca / www.wika.ca	China WIKA Instrumentation Suzhou Co., Ltd. Tel. +86 512 6878 8000 info@wika.cn / www.wika.com.cn
Benelux WIKA Benelux Tel. +31 475 535500 info@wika.nl / www.wika.nl	Russia AO "WIKA MERA" Tel. +7 495 648018-0 info@wika.ru / www.wika.ru	USA WIKA Instrument, LP Tel. +1 770 5138200 info@wika.com / www.wika.us	India WIKA Instruments India Pvt. Ltd. Tel. +1800-123-101010 info@wika.co.in / www.wika.co.in
Bulgaria WIKA Bulgaria EOOD Tel. +359 2 82138-10 info@wika.bg / www.wika.bg	Serbia WIKA Merna Tehnika d.o.o. Tel. +381 11 2763722 info@wika.rs / www.wika.rs	Gayesco-WIKA USA, LP Tel. +1 713 4750022 info@wikaohouston.com www.wika.us	Japan WIKA Japan K. K. Tel. +81 3 5439-6673 info@wika.co.jp / www.wika.co.jp
Croatia WIKA Croatia d.o.o. Tel. +385 1 6531-034 info@wika.hr / www.wika.hr	Spain Instrumentos WIKA S.A.U. Tel. +34 933 9386-30 info@wika.es / www.wika.es	Mensor Corporation Tel. +1 512 3964200 sales@mensor.com www.mensor.com	Kazakhstan TOO WIKA Kazakhstan Tel. +7 727 225 9444 info@wika.kz / www.wika.kz
Denmark WIKA Denmark A/S Tel. +45 4581 9600 info@wika.dk / www.wika.dk	Switzerland WIKA Schweiz AG Tel. +41 41 91972-72 info@wika.ch / www.wika.ch	Latin America	Korea WIKA Korea Ltd. Tel. +82 2 869-0505 info@wika.co.kr / www.wika.co.kr
Finland WIKA Finland Oy Tel. +358 9 682492-0 info@wika.fi / www.wika.fi	Türkiye WIKA Instruments Endüstriyel Ölçüm Cihazları Tic. Ltd. Şti. Tel. +90 216 41590-66 info@wika.com.tr www.wika.com.tr	Argentina WIKA Argentina S.A. Tel. +54 11 5442 0000 ventas@wika.com.ar www.wika.com.ar	Malaysia WIKA Instrumentation (M) Sdn. Bhd. Tel. +60 3 5590 6666 info@wika.my / www.wika.my
France WIKA Instruments s.a.r.l. Tel. +33 1 787049-46 info@wika.fr / www.wika.fr	Ukraine TOV WIKA Prylad Tel. +38 044 496 83 80 info@wika.ua / www.wika.ua	Brazil WIKA do Brasil Ind. e Com. Ltda. Tel. +55 15 3459-9700 vendas@wika.com.br www.wika.com.br	Philippines WIKA Instruments Philippines Inc. Tel. +63 2 234-1270 info@wika.ph / www.wika.ph
Germany WIKA Alexander Wiegand SE & Co. KG Tel. +49 9372 132-0 info@wika.de / www.wika.de	United Kingdom WIKA Instruments Ltd Tel. +44 1737 644-008 info@wika.co.uk / www.wika.co.uk	Chile WIKA Chile S.p.A. Tel. +56 9 4279 0308 info@wika.cl / www.wika.cl	Singapore WIKA Instrumentation Pte. Ltd. Tel. +65 6844 5506 info@wika.sg / www.wika.sg
Italy WIKA Italia S.r.l. & C. S.a.s. Tel. +39 02 93861-1 info@wika.it / www.wika.it	Colombia Instrumentos WIKA Colombia S.A.S. Tel. +57 601 7021347 info@wika.co / www.wika.co	Taiwan WIKA Instrumentation Taiwan Ltd. Tel. +886 3 420 6052 info@wika.tw / www.wika.tw	Thailand WIKA Instrumentation Corporation (Thailand) Co., Ltd. Tel. +66 2 326 6876 info@wika.co.th / www.wika.co.th
Poland WIKA Polska spółka z ograniczoną odpowiedzialnością sp. k. Tel. +48 54 230110-0 info@wikapolaska.pl www.wikapolaska.pl	Mexico Instrumentos WIKA Mexico S.A. de C.V. Tel. +52 55 50205300 ventas@wika.com / www.wika.mx	Uzbekistan WIKA Instrumentation FE LLC Tel. +998 71 205 84 30 info@wika.uz / www.wika.uz	Australia WIKA Australia Pty. Ltd. Tel. +61 2 88455222 sales@wika.com.au / www.wika.com.au
			Australia WIKA Australia Pty. Ltd. Tel. +61 2 88455222 sales@wika.com.au / www.wika.com.au
			New Zealand WIKA Instruments Limited Tel. +64 9 8479020 info@wika.co.nz / www.wika.co.nz

WIKA Alexander Wiegand SE & Co. KG

Alexander-Wiegand-Straße 30 | 63911 Klingenberg | Germany
 Tel. +49 9372 132-0 | info@wika.de | www.wika.de

14086321 04/2023 EN



You can find further information here!



Smart in sensing

www.wika.com